

2007-2016 JEEP JK

A-PILLAR LIGHT BRACKET INSTALLATION INSTRUCTIONS



SAFETY

Know safety, no injury. Know injury, no safety. ~Author Unknown

If there are any questions, call 1-855-HHTOUGH

- **READ ALL SAFETY INSTRUCTIONS BEFORE INSTALLATION**

- FOLLOW ALL INSTRUCTIONS FOR PROPER ASSEMBLY
- WEAR APPROPRIATE EYE PROTECTION
- EXERCISE CARE WHEN LIFTING COMPONENTS
- USE APPROPRIATE TORQUE FOR BOLTS
- BLUE THREAD LOCKING COMPOUND RECOMMENDED ON ALL BOLTS

California Proposition 65



WARNING

Cancer and Reproductive Harm

www.P65Warnings.ca.gov

DO NOT PAINT OVER THIS LABEL. REPLACE IF DAMAGED OR LOST

DKB150_00

Suggested Torque Values For Steel Grade 5 Standard Bolts


BOLT DIAMETER (INCH)	THREADS PER INCH	TORQUE (POUND - FEET)
1/4	20	7
5/16	18	14
3/8	16	25
7/16	14	40
1/2	13	60
9/16	12	88
5/8	11	120
3/4	10	200
7/8	9	302
1	8	466

Suggested Torque Values For Steel Grade 8.8 Metric Bolts

BOLT DIAMETER (mm)	THREAD PITCH (mm)	TORQUE (POUND- FEET)
6	1.0	7
8	1.25	16
10	1.5	32
12	1.75	55
14	2.0	88
16	2.0	140
18	2.5	195
20	2.5	275
22	2.5	375
24	3.0	475

I. PARTS LIST

ITEM NO.	QTY.	PART NUMBER	DESCRIPTION
1	1	601-56-0695	LEFT A-PILLAR LIGHT MOUNT
2	1	601-56-0696	RIGHT A-PILLAR LIGHT MOUNT
3	1	601-56-1902	A-PILLAR HORIZONTAL FOAM LEFT
4	1	601-56-1903	A-PILLAR HORIZONTAL FOAM RIGHT





2007-2016 Jeep JK

II. TOOL LIST

1. Basic tool set
2. Torx 40 socket

III. REMOVAL OF OEM BOLTS

1. Using a Torx 40 socket remove both the horizontal bolts from the A-Pillar



IV. INSTALATION OF A-PILLAR LIGHT BRACKET

1. Peel the cover off the back of the provided foam
2. Place the foam on the back of the A-PILLAR LIGHT BRACKETS.



3. Place the A-PILLAR LIGHT BRACKET onto the A-Pillar as shown
4. Using a Torx 40 socket use provided bolts to secure the A-PILLAR LIGHT BRACKET



5. Repeat steps 1-4 for the other side
6. Install lights onto the A-PILLAR LIGHT MOUNTS according to their instructions

Congratulations! Your hammerhead A-PILLAR LIGHT BRACKETS installation is now complete.

Thank you for your purchase.